Annals of General Psychiatry



Primary research

Open Access

Adaptation of the Emotional Contagion Scale (ECS) and gender differences within the Greek cultural context

Pantelis Kevrekidis*, Petros Skapinakis, Dimitris Damigos and Venetsanos Mavreas

Address: Department of Psychiatry, University of Ioannina School of Medicine, Ioannina, 45110, Greece

Email: Pantelis Kevrekidis* - pkevrek@otenet.gr; Petros Skapinakis - p.skapinakis@gmail.com; Dimitris Damigos - d.damigos@gmail.com; Venetsanos Mavreas - psychiatry@uhi.gr

* Corresponding author

Published: 21 August 2008

Annals of General Psychiatry 2008, 7:14 doi:10.1186/1744-859X-7-14

Received: 25 March 2008 Accepted: 21 August 2008

This article is available from: http://www.annals-general-psychiatry.com/content/7/1/14

© 2008 Kevrekidis et al; licensee BioMed Central Ltd.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

Background: The Emotional Contagion Scale (ECS) is a self-report scale used to measure individual differences in susceptibility to converge towards the emotions expressed by others. The main aim of the present paper was to examine the psychometric properties of the Greek translation of the scale.

Methods: The Greek ECS was completed by 691 undergraduate students (312 males and 379 females). To investigate the factor structure of the ECS, principal components analysis (PCA) was used.

Results: The results showed that a four-factor model was tenable. Regarding homogeneity, the Greek ECS version showed acceptable results for the full scale (α = 0.74) but not for all subscales. Gender differences were also identified concerning the susceptibility to emotional contagion between men and women. Women score significantly higher than men for all the different emotions described by the ECS (love, happiness, sadness) except the anger emotion, where there was no significant difference.

Conclusion: The Greek version of the ECS showed good psychometric properties. It can be used to assess susceptibility to emotional contagion in correlation with psychopathological processes, mood and anxiety disorders primarily. The usefulness of the ECS in the fields of group psychotherapy and health psychology is also under consideration. Further investigation is needed in all these areas.

Background

The term 'emotional contagion' refers to the tendency one has to 'catch' another person's emotions [1]. According to Hatfield *et al.* [1], this includes the tendency to convert emotionally to each other, by mimicking and synchronising with the facial, postural and instrumental expressions of the other party.

It is postulated that emotional contagion operates continuously and non-consciously through different non-verbal communicative channels documented in body language [2], in vocal expressions [3], and in facial expressions [4].

From a clinical perspective, emotional contagion has been shown to be a useful concept in studies concerning mood and anxiety disorders [5], psychotherapy [6] and health psychology [7-10].

Description of Emotional Contagion Scale (ECS)

Despite the growing interest in emotional contagion theory, until recently there were no assessment tools to measure the phenomenon. The main goal was to develop a short and reliable instrument to measure individual differences to emotional contagion. The first, psychometrically evaluated questionnaire was developed by Doherty et al. [11], which was revised twice from a 38-item questionnaire to a 18-item version, and finally to a 15-item version. This scale proved to have high reliability (Cronbach α = 0.90). Although the original ECS is presented as a one-factor solution, a multidimensional solution is also suggested [12]. The ECS is the only self-reported scale that measures the susceptibility to emotional contagion in cross-culturally relevant contexts. It includes the five basic emotions of love, happiness, anger, fear and sadness. Regarding gender differences, it has been consistently reported that women rate themselves as more susceptible to emotional contagion compared to men [11-13].

Until now, there has been no reliable and valid instrument in Greek to measure susceptibility to emotional contagion. The aim of the present study was therefore to adapt the ECS to the Greek cultural context and to explore its psychometric properties. A secondary aim was to investigate possible gender differences concerning the susceptibility to emotional contagion within this cultural context.

Materials and methods Participants and procedures

A total of 703 questionnaires were administered to undergraduate University students; 691 questionnaires were valid (98.3%). The sample consisted of 379 women with a mean age of 19.9 years (standard deviation (SD) = 3.28 years) and 312 men with a mean age of 20.76 years (SD = 3.50 years). The age span for both men and women was 18 to 45 years. The sample participated voluntarily and the ECS was completed after standardized instructions were given.

The ECS is a 15-item self-reported scale, which assesses the susceptibility to 'catch' the emotions expressed by others. The ECS consists of five basic emotions: love, happiness, sadness, anger and fear. Each emotion is represented by three items that are scored on a 5-point Likert scales from not at all (1) to always (5). The entire ECS scale takes no more than 5 minutes to administer.

The ECS questionnaire was translated from English to Greek independently by the author and another professional translator and then the Greek text was back-translated to English by a bilingual person for crosschecking. The translations were compared, and the few discrepancies found consisted of different choices of synonymous words; the structure or the meaning of the sentences was not changed (see Additional file 1).

Data analysis

Descriptive statistics and principal component analysis (PCA) were conducted using SPSS v. 14.0 (SPSS Inc., Chicago, IL, USA). Psychometric evaluation of the ECS scale and its subscales were assessed with the Cronbach α [14], using the α > 0.70 criterion for adequate homogeneity [15]. We also applied t tests in order to detect possible gender differences in susceptibility to emotional contagion.

Results

PCA and internal consistency of the ECS

The 15 items of the ECS scale were subjected to PCA. Both varimax and oblimin oblique rotations were conducted. Prior to performing PCA, the suitability of data for factor analysis was assessed. Inspection of the correlation matrix revealed the presence of many coefficients of 0.3 and above. The Kaiser-Meyer-Oklin value was 0.80, exceeding the recommended value of 0.6 [16,17] and the Bartlett test of sphericity [18] reached statistical significance, supporting the factorability of the correlation matrix ($x^2 = 2028.4$, df = 105, p < 0.0001).

Principal components analysis revealed the presence of four components with eigenvalues exceeding 1, explaining 24.91%, 11.20%, 8.8%, and 7.63% of the variance respectively [19,20]. An inspection of the screeplot revealed a clear break after the second component (Figure 1). However, using Catell's screeplot [21], it was decided to retain four components for further investigation




Figure I Screeplot of Emotional Contagion Scale (ECS), 15 item version. Screeplot in the 15-item ECS shows a clear cut after the second component.

because their eigenvalue was >1, plus a fifth component because its eigenvalue was close to 1.

To aid in the interpretation of these five components, varimax rotation was performed. The rotated solution revealed the presence of multidimensional structure, with two 'clear' components showing strong loadings: (a) love items 6, 9, 12 with factor loadings ranging from 0.73 to 0.83 and Mload = 0.80 and (b) happiness items 2, 3, 11 with loadings ranging from 0.63 to 0.78 and Mload = 0.72. However, the three remaining components did not show clear-cut factor loadings. For example, in component 2, there are strong loadings on item 7 (anger item with loading 0.72), item 10 (anger item with loading 0.719) and the next strong loading is on item 13 (fear item according to the constructor of the ECS scale with loading 0.681) (Table 1). The same applies as far as factor loadings are concerned to the other two components (3 and 5) as well as to the varimax rotations performed for men and women separately.

Because of the fact of loadings on different items, it was decided to remove items 8, 13, and 15, which constitute the fear items and seemed to be dispersed in different components (namely components 2, 3 and 5), and re-perform factor analysis (PCA) with items 8, 13 and 15 (fear) excluded.

Principal components analysis of the 12 items (fear items 8, 13, and 15 excluded) revealed the presence of four components with eigenvalues exceeding 1, explaining 23.31%, 12.67%, 10.52%, and 9.43% of the variance, respectively.

Table I: Emotional Contagion Scale (ECS) factor loadings with 15 items

Emotion	Item	Components						
		I	2	3	4	5		
Love	6	0.732	0.153	0.019	0.177	0.083		
Love	9	0.833	0.021	0.205	0.100	0.018		
Love	12	0.820	0.024	0.114	0.153	0.007		
Happiness	2	0.056	-0.001	0.058	0.788	-0.037		
Happiness	3	0.184	0.103	0.179	0.632	0.193		
Happiness	П	0.214	0.164	0.036	0.767	-0.030		
Fear	8	0.073	0.122	0.086	0.038	0.920		
Fear	13	0.110	0.681	0.224	0.116	0.068		
Fear	15	0.155	0.225	0.542	-0.002	-0.180		
Anger	5	-0.03 I	0.558	0.068	-0.009	0.141		
Anger	7	0.038	0.720	0.009	0.191	-0.012		
Anger	10	0.116	0.719	0.149	-0.003	-0.024		
Sadness	1	-0.011	0.146	0.764	0.116	0.083		
Sadness	4	0.100	0.205	0.470	0.193	0.277		
Sadness	14	0.160	-0.012	0.803	0.048	0.086		

An inspection of the screeplot revealed a clear cut after the second component (Figure 2). Using Cattel's screeplot it was decided to retain four components for further investigation. To aid the interpretation of these four components, oblimin oblique rotation was performed (Table 2). The rotated solution revealed the presence of a multidimensional structure with four components, with the first component including the love items (6, 9, 12), the second component including the sadness items (2, 3, 11), the third component including the sadness items (1, 4, 14), and the fourth component including anger items (5, 7, 10). Thus, the interpretation of the four components solution yields a four-factor model.

The same four factor model applies to men (n = 312) and women (n = 379) of the sample separately. The component loadings in the oblimin oblique rotation ranged from 0.53 to 0.86 (Mload = 0.75).

The internal consistency for the full ECS was acceptable, (Cronbach α = 0.74). For the internal consistency for each factor alone, the Cronbach α > 0.70 was met only by the love factor (3 items) (Table 3).

Gender differences

Analyses by t test revealed the presence of gender differences in the susceptibility to emotional contagion and this concerns the full ECS questionnaire. Women score higher than men to all affect factors (love items 6, 9, 12, happiness items, 2, 3, 11, sadness items, 1, 4, 14) but not to the anger affect factor (items 5, 7, 10) where there is not significant difference between men and women (Table 3).

Discussion

The main purpose of the present study was to adapt the ECS scale to the Greek cultural context, to define its factor




Figure 2
Screeplot of Emotional Contagion Scale (ECS), 12
item version. Screeplot in the 12-item ECS shows a clear
cut after the second component.

Table 2: Emotional Contagion Scale (ECS) factor loadings with 12 items: oblimin oblique rotation

Emotion	ltem	Components					
		I	2	3	4		
Love	9	0.863					
Love	12	0.855					
Love	6	0.736					
Happiness	2		0.837				
Happiness	П		0.782				
Happiness	3		0.629				
Sadness	14			0.837			
Sadness	I			0.830			
Sadness	4			0.530			
Anger	7				0.746		
Anger	10				0.717		
Anger	5				0.677		

structure within this context, and secondly to investigate possible gender differences regarding emotional contagion.

PCA revealed four components, the loadings of which met the generally adopted criteria for minimal loading levels [22]. The rotated solution revealed a four-factor structure, which is theoretically and statistically justified [13]. These four factors represent the four subscales of the ECS scale namely: love, happiness, sadness, and anger. The internal consistency for the full ECS scale is acceptable, however, the internal consistency criterion (Cronbach $\alpha > 0.70$) is not met for each subscale, probably because of the low number of items for each emotion. Thus, one should avoid selective administration of the subscales as this could lead to erroneous conclusions [23].

Comparison with previous studies

The Swedish adaptation of the ECS [13] was taken into consideration because of its comprehensive data analysis. The item loadings of the present study were to a large extent concordant with those reported in the Swedish adaptation of the ECS in the oblimin oblique rotation (0.60 to 0.85, (Mload = 0.77)). The internal consistency for the full ECS in the present study (Cronbach α = 0.74),

was somewhat lower than the Swedish version (Cronbach $\alpha = 0.76$) and even lower than the original American version (Cronbach $\alpha = 0.90$). While the American version of the ECS is one-dimensional, both the Greek and Swedish versions are multidimensional as a result of factor analysis, which is also referred as being applicable in the American study [12].

The findings of this study do replicate the findings of the Swedish study [13]. Women score higher than men and are more susceptible to emotional contagion for three of the basic emotions, namely love, happiness, and sadness, but not the anger. Further research is needed to explore this phenomenon. Gender differences must be taken into account during assessment of the susceptibility of the general population to emotional contagion.

The major advantage of the ECS scale compared to other empathy scales is that the ECS provides information that others do not. Mehrabian and Epstein [24] scale is widely used to measure vicarious responding and arousability. Both scales provide information about emotional arousal, but the ECS is the only one that reports the congruence between the emotional stimulus and the emotional response. The emotion experienced by an individual is in direct correspondence with the emotion observed, and this refers mostly to the primitive emotional contagion.

Practical uses of the ECS scale

There is some evidence that patients with antisocial personality disorder have difficulties in processing non-verbal emotional stimuli [25]. These findings suggest that antisocial personality disorder subjects may exhibit difficulties in expressing emotional contagion. This perhaps implies that the ECS could be a potential instrument in the assessment of the lack of emotional contagion associated with this personality disorder. However, this needs to be tested in clinical settings.

Another area where the ECS could probably have a potential value is the area of developmental disorders. Autistic adolescents who belong to the high susceptibility group for emotional contagion may likely have another progno-

Table 3: Mean scores and internal consistency of Emotional Contagion Scale (ECS)

Scales	No. of items	Total (n = 691)		Males (n = 312)		Females (n = 379)		
		М	SD	М	SD	М	SD	Cronbach α
Full ECS	12	3.31	0.55	3.12	0.55	3.46**	0.50	0.74
Love	3	3.86	0.86	3.65	0.90	4.04**	0.79	0.76
Happiness	3	3.82	0.78	3.68	0.82	3.94**	0.73	0.64
Sadness	3	2.87	0.83	2.47	0.74	3.19**	0.77	0.61
Anger	3	2.68	0.79	2.69	0.79	2.67	0.79	0.53

Mean scores for the females significantly larger than the mean scores for the males by * p < 0.05, ** p < 0.01

sis compared to those of low susceptibility. Thus, the ECS could theoretically be used in the assessment of developing social skills in autism and related conditions [26]. Clinical research must be conducted to yield empirical data in this area.

ECS could potentially be useful in schizophrenia research [27]. There is evidence, for example, that patients with schizophrenia exhibit greater skin conductance reactivity compared to controls when viewing emotional films, but are less facially expressive than controls and report experiences of both positive and negative emotions [28]. It would probably be of interest to investigate whether there are subgroups of patients with schizophrenia showing low or high susceptibility to emotional contagion.

Studies examining the application of scales measuring the emotional contagion in situations like depression and burnout among health professionals are also of interest. According to some research, these scales may be useful tools for the identification, prevention and management of professionals at risk for mood and anxiety disorders [29,30]. Finally, the ECS could probably be used as a tool addressing emotional contagion in health psychology [7-10], and psychotherapy [6,31-33].

Further studies must be conducted, with the aim of investigating the practical and clinical as well as theoretical implications of susceptibility to different levels of emotional contagion.

Limitations of the present study

The findings of this study should be considered in the context of the following limitations: (1) we only studied undergraduate students and the generalisability of our results to other subjects of different age or education may not be possible. In addition, the psychometric properties of the scale may differ in clinical settings. In all these settings, future investigators should try to verify the factor structure of the scale. (2) The small number of items per emotion (three items) may have compromised the factor structure of the scale. By contrast, the few items facilitate the data collection. (3) Finally, although the ECS is grounded on a good theoretical basis, there are very few data to empirically support its usefulness in clinical settings.

Conclusion

The findings of the present study suggest that the Greek version of the ECS is acceptable and it is in concordance with both the American and Swedish versions of the ECS. It might be used in clinical settings to assess susceptibility to emotional contagion in correlation with psychopathological processes in mood and anxiety disorders, personality disorders, psychosis, and autism spectrum disorders.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

PK conceived the idea and design of the study, carried out the data collection and data analysis, drafted the manuscript and helped in the interpretation of the results. PS critically revised the article and helped in data analysis and interpretation of results. DD and VM helped in the design of the study and interpretation of results. All authors approved the final version of the manuscript.

Additional material

Additional file 1

The Greek version of the Emotional Contagion Scale and the original American version. The Greek version is differentiated from the American version by data analysis. Thus, three items (8, 13, 15) from the original ECS were excluded in the Greek ECS.

Click here for file

[http://www.biomedcentral.com/content/supplementary/1744-859X-7-14-S1.doc]

Acknowledgements

We are grateful to Dr. Olof Lundqvist for introducing us to the concept of emotional contagion theory, Dr. Chariton Polatoglou and Dr. Grigorios Kiosseoglou for the help in data analysis, and Stavroula Mavrou for her substantial critics and for the help during the manuscript preparation.

References

- Hatfield E, Cacioppo JT, Rapson RL: Emotional Contagion New York: Cambridge University Press; 1994.
- Bavelas JB, Black A, Lémery CR, Mullett J: Motor mimicry as primitive empathy. In Empathy and its development Edited by: Strayer J, Eisenberg N. New York: Cambridge University Press; 1987:317-338.
- Hietanen JK, Surakka V, Linnankoski I: Facial electromyographic responses to vocal affect expressions. Psychophysiology 1998, 35(5):530-536.
- Wild B, Erb M, Bartels M: Are emotions contagious? Evoked course emotions while viewing emotionally expressive faces: Quality, quantity, time and gender differences. Psych Res 2001, 102:109-124.
- Bakker AB, Schaufeli WB, Sixma HJ, Bosveld W: Burnout contagion among general practitioners. J Soc Clin Psyc 2001, 20(1):82-98.
- Rosner R, Beutler LE, Daldrup RJ: Vicarious emotional experience and emotional expression in group psychotherapy. J Clin Psyc 2000, 56(1):1-10.
- Austenfeld JL, Stanton AL: Coping through emotional approach:
 A new look at emotion, coping, and health-related outcomes. J Person 2004, 72(6):1335-1364.
- Cacioppo JT, Giese Davis J, Spiegel D, Ryff CD, Singer BH, Berntson GG, Sarter M, McEwen BS, Seeman T: Part X: Emotion and Health. In Handbook of affective sciences Edited by: Scherer KR, Davidson RJ, Goldsmith HH. London: Oxford University Press; 2003:1047-1137.
- Ryff CD, Singer BH, Wing EK, Love GD: Elective affinities and uninvited agonies: Mapping emotion with significant others onto health. In Emotion, social relationships and health Edited by: Singer BH, Ryff CD. London: Oxford University Press; 2001:133-175.
- Smith TW, Glazer K, Ruiz JM, Gallo LC: Hostility, anger, aggressiveness, and coronary heart disease: An interpersonal perspective of personality, emotion and health. J Person 2004, 72(6):1217-1270.

- Doherty RW, Orimoto L, Singelis TM, Hatfield I, Hebb J: Emotional contagion: Gender and occupational differences. Psych Wom Quart 1995, 19(3):355-371.
- Doherty RW: The Emotional Contagion scale: A measure of individual differences. | Nonv Behav 1997, 21(2):131-154.
- Lundqvist LO: A Swedish adaptation of the Emotional Contagion Scale: Factor structure and psychometric properties. Scand J of Psych 2006, 47:263-272.
- Cronbach LJ: Coefficient alpha and the internal structure of tests. Psychometrika 1951, 16(3):297-334.
- Nunnaly J, Bernstein I: Psychometric Theory 3rd edition. New York: McGraw-Hill; 1994.
- Kaiser H: A second generation Little Jiffy. Psychometrika 1970, 35:401-415.
- Kaiser H: An index of factorial simplicity. Psychometrika 1974, 39:31-36.
- Bartlett MS: A note on the multiplying factors for various chi square approximations. JRoyal Statist Soc 16(Series B) 1954:296-298.
- Guttman L: Some necessary conditions for common factor analysis. Psychometrika 1954, 19:149-161.
- Kaiser HF: The application of electronic computers to factor analysis. Educat Psych Meas 1960, 20:141-151.
- Catell RB: The scree test for the number of factors. Multivar Behav Res 1966, 1:245-276.
- 22. Hair JF, Anderson RE, Tatham RL, Black WC: **Multivariate data analysis.** 4th edition. Engelwood Cliffs, NJ: Prentice Hall; 1995.
- Green DP, Goldman SL, Salovey P: Measurement error masks bipolarity in affect ratings. J Person Soc Psych 1993, 64(6):1029-1041.
- Mehrabian A, Epstein N: A measure of emotional empathy. J Person 1972, 40:525-543.
- Kosson DS, Suchy Y, Mayer RA, Libby J: Facial Affect Recognition in Criminal Psychopaths. Emotion 2002, 2:398-411.
- Niedenthal PM, Brauer M, Halberstadt JB, Innes-Ker AH: When did her smile drop? Facial mimicry and the influences of emotional state on the detection of change in emotional expression. Cogn Emot 2001, 15:853-864.
- Gillberg C: The Emanuel Miller Memorial lecture 1991: Autism and autistic like conditions. Subscales among disorders of empathy. J Child Psych Psychiatry Allied Discipl 1992, 33:813-842.
- Kring AM, Neale MJ: Do schizophrenic patients show a distinctive relationship among expressive, experiential and psychophysiological components of emotion? J Abnor Psych 1996, 105(2):249-257.
- 29. Ohdahl BL, O' Donell C: Emotional contagion, empathic concern and communicative responsiveness as variables affecting nurses' stress and occupational commitment. J Adv Nurs 1999, 29(6):1351-1359(9).
- 30. Siebert CD, Siebert FC, McLaughlin AT: Susceptibility to Emotional Contagion: Its measurement and importance to Social work. J Soc Serv Res 2007, 33(3):.
- Hsee CK, Hatfield E, Carlson JG, Chemtob C: The effect of power on susceptibility to emotional contagion. Cogn Emot 1990, 4(4):327-340.
- Kelly JR, Barsade SG: Mood and emotions in small groups and work teams. Organizat Behav Human Decis Proces 2001, 86(1):99-130.
- Verbeke W: Individual differences in emotional contagion of sales persons: Its effect on performance and burnout. Psych Mark 1997, 14(6):617-636.

Publish with **Bio Med Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- ullet yours you keep the copyright

Submit your manuscript here: http://www.biomedcentral.com/info/publishing_adv.asp

